



DKDj` Qg0G z" °\$•



" =>DKDj" \_yk Kr  
]AEQg Û v" !•^

- μDKDj` QgQ: -7çfé" \$'  
e™%ÇA†OXp¿ Oê'Ûp¿ ]]] ROTMRUTM IT

# 乘用车轮胎产品手册

PRODUCT MANUAL



# 玲珑轮胎

/ 0 8¼ M % & ÑB

# 目录

\* / 8 + ) : 5 8 ?

ñEÁ\_ÿ` QgM""° 09

自修复轮胎 ..... 6	静音绵轮胎 ..... 6
SPORT MASTER e ..... 6	SPORT MASTER (SA220) ..... 6
AR200 ..... 6	AR200 ..... 6
CrossWind ..... 6	GREEN-Max ..... 6
COMFORT MASTER (CM121) ..... 6	GREEN-Max HP <sup>010</sup> ..... 6
CrossWind HP <sup>010</sup> ..... 6	EV100 ..... 6
CROSSWIND R791 ..... 6	GREEN-Max EP100 ..... 6

9 ; < ` QgM""° 21


GRIP MASTER C/S (CS820) ..... 6	GREEN-Max 4X4 HP ..... 6
CROSSWIND 4X4 HP ..... 6	CROSSWIND H/T ..... 6
CROSSWIND A/T ..... 6	CROSSWIND A/T <sup>100</sup> ..... 6
CROSSWIND M/T ..... 6	

` #ú` QgM""° 27

GREEN-Max Van ..... 6	RADIAL R701 ..... 6
RADIAL666 ..... 6	RADIAL R751 ..... 6

"E+ü` QgM""° 30

NORD MASTER (S KING 21) ..... 6	GREEN-Max Winter Van ..... 6
GREEN-Max Winter Ice I-15 ..... 6	GREEN-Max Winter Ice I-15 SUV ..... 6
GREEN-Max Winter Ice I-15 (缺气保用轮胎) ..... 6	GREEN-Max Winter Ice I-16 ..... 6



北京玲珑研



## 全球60多家汽车厂的共同选择

" \$'.' ÓO;6p Ù)þ`f Ù™= )À ° Ù`³EÁ ÙJ(C Ùg"6~ @ çTŠ Ù/ = 7ÁEÉ Ù/ = 1J Ù £= `³EÁ -TŠ Ù\$ç"Â Ù  
 )àD÷ Ù<m 3`f Ùf (g Ù™= Z|5x Ù6H(Ä,Ö 3 Ù Æ'-bf= ÙfiZ bf= ÙJ(EÉ= \_ÿ Ù µigQ: - Ù µig8OE= Ù Æg\_\_ÿ` Kâ  
 " Doe )³,O= \_ÿ\$ )³ ÆE, @("É4i 4aæ)ð7!#:p±`t!p" Doe )Ä\_ÿ š ä Æ ,OG aæ)ð iM"p±,7DI ,0PM" Ù  
 ;ÄM" ÙP'M" Ù6-M"Kâ" Doe bfAR\_ÿM"G aæ)ðp±aæ)ð0ÖbhMÈ:\^`` X7ú Ú





玲珑轮胎赞助NBA中国赛



沃尔夫斯堡冠军俱乐部合作伙伴



赞助中国排球超级联赛



玲珑飘移车队勇夺日本D1赛事追走冠军

尤


" \$'³`³Jf]÷#B=Ô#A7p3 )ÄDKDj` QÑ'Á'-" )-G 0 %f#4p± / Oj  
 /"DKDj` Qg\* +é]ô\_ÿf,p±³;°\$[#9= \_ÿ3b#4e¿8 ]ôp±]÷#B â/ `WL†Dœf,p±'Á  
 ;À=Ë -)ÄPí]ô#Ú5ËDœf,\$¥6•3.5x/ \$âp±2© Ó0PEË= ,-)Ä6H(°"9"4 Š éa•\$j ô  
 ² [\$cY/8 ]÷#B%ß Ù ]ô+ü,½6 '—6H" Dœ,16R` Qg\$; ô ² ÍKâp± Ó  
 Æ'-G <ª6h%ZBâ4 ^ 7™6l ™' G ^LDœT³e™A†@ p±/ !á\$\$"9\$! : Æ  
 '-#ú\_ÿ" /™]ô Ù Æ'-^#bg3b#4]ô Ú2© Ó Æ'-4+Dœ^ O@Pí]ô  
 ]ô+ü,16R]÷#B%ßp± 5 / Oj/"fØC 3b6H;âJ" \_ÿf,p± EÁRf ÔH-\$jG ]ô\_ÿ`  
 Qg\$[#96~7Å Ù Æ'- \* iqJ")À)]ôp±"9\$!]÷#B ]ô+ü(÷,-O• 3^LDœ  
 ^ O@Pí]ôp±2© ÓP"- 4 . 2'ÿ.®? ffEÏf, ]ô+ü,16R` Qg Ú



赞助北美冰



赞助塞尔维亚



EXPO 2020 DUBAI CHINA PAVILION 中国馆

玲珑轮胎 LINGLONG TIRE

EXPO 2020 DUBAI OFFICIAL PARTICIPANT Senior Sponsor for China Pavilion at Expo 2020 Dubai

# 专业权威大型室外综合轮胎试验场

Æ 3` Qg\nk%'ÓÉÊDKDjg\_{3.JÝp±-fPi , - ³{f,WL:/ \$[ \$/^Wp±0Ó3.JÝj X!Üp±/"7çkq` ,  
 DH`ì Ù`³`' hCE=äln^ Ù#A0š/ 'Ó Ù)³^gûG•OX"İ#A^ Ù/ 5f4@^ Ù? 5f4@^ Ù? 'YDH ÙFK#LP© Þ  
 ^ Ù 4 < .%R«`>0À^ Ù)³#8Q-/ \$%\$c=äln- Ù^#bg^Kâ 7ú` Qg\nk%'j`ip±>NGo` \_ÿ Ù` #ú Ù` bf#ú  
 \_ÿ%%,;\_ÿKâ \_ÿ(\$G ` Qg\nk%'p±\$`," Qg5f4@0À ÙOh=ç0À ÙR«`>0ÀKâ )³i 0ÀQ-3 8 `tXâ,7ÉGj=ä%%  
 ,=" ,7k% Ù



中国轮胎行业多项  
指标排名第一



配套

/ p± Æ'- £.yG ñEÁ\_ÿp±aæ)ð6 bh  
æ,Þ Æ'- Qg š ³ 4



新能源配套

/ Ù / Ù / £#ã/ p± Æ'-6lQ-?)= \_ÿaæ)ð  
\_ÿ(\$6 bh æ,Þ Æ'- Qg š ³KÁ ™



全球化布局

2±EÞ" Dœ.œ,Ûp±G±"æ'Á Æ'-3-7ç ,OE, @  
("Ép±> )` ,OE, @("Ép± Ó Æ'- Qg š ³ 4



研发

DKDj'Á-"` Qg £.y" \$' ÆH-\$j3.İp4+KÁ ™p± -H-\$j3.İp#ú<mi lá  
' `Eá ™=Ú%ZBâp±3-7ç Æ'-j,O Ù `Eá ™=ÚO•\$;0À)À(\$` Qg\nk%  
'Ó ™ Æ 3` Qg\nk%'Ó Ù



产量

/ #ãe;Qg @bh Ù> )`.-\$ @bh Ó  
Æ'- Qg š ³ 4



市值规模

.y ÖZj:º,Þ Æ'- Qg%ZBâ 4 5





(Seal In) 密封車





专为新能源汽车设计



z]8õ	K¿\$;3 6	`/?O@"Ä	`>aæ6IQ-?)_ÿ(\$
8			
8			
8			
8			
8 .10 -33 322 -1 (	8 )Tj 0 -3.875 T1 (	2625 8 )Tj 0 -3.875 T1 (	Û 2625 8 .10 -33 322 -1 ( 8 y -1 -1 10-33





**超高性能轮胎**

<Í=ÚHÍ'è#!Ü3 7È/-EÁp±)7/Ó` Qg4+<Íbhp±4i#à` Qg? 'É0ÀQ-pÀ  
 >!g)"/™™:-3 7È/-EÁp±)7/Ó` Qg5f4@0ÀQ-pÀ  
 Jì0š\$\$\$#4'àXú3 7È/-EÁp±4ikq` Qg4+ÉgûJ"p±)7/Ó` Qg5f4@0ÀQ-pÀ



**超高性能缺气保用轮胎**

g÷, 'J% SJORIW: p±6•, ³ Û=ÚXáp±\$¥6• Ó\_ÿ` 4i 47•\* G k ñ1, \$ppÀ  
 QgQB)ÀSJOR'öp±4i 48 R•G ` \$ª5f4@0ÀQ-pÀ  
 4Æ` DKDj 2 8 9OÓ<- vEÁ3 7Èp± Ó\_ÿ` G , "" Xák vk 3=RÃ Ú

SG-0	Ó,	J,T 3 6	¿?O@"Ä	8 " _` \$	8 "_J,T Q M	7™)Äi6,3<-\$\$ Q 6 G
16	8 >2		?	0		
	8 >2		?	0		
	8 >2		?	0		
17	8 >2		?	0		
	8 >2		?	0		
	8 >2		?	0		
	8 >2		?	0		
	8 >2		?	0		
18	8 >2		?	0		
	8 >2		?	0		
	8		=	0		
	8 >2		?	0		
	8 >2		?	0		
	8		=	0		
	8 >2		?	0		
19	8 >2		?	0		
	8 >2		?	0		
	8 >2		?	0		
	8 >2		?	0		
	8		=	0		
	8 >2		?	0		
	8 >2		?	0		
20	8 >2		?	0		
	8		=	0		
	8		=	0		
21	8		=	0		
	8		=	0		

SG-0	Ó,	J,T 3 6	¿?O@"Ä	8 " _` \$	8 "_J,T Q M	7™)Äi6,3<-\$\$ Q 6 G
16	8		=	0		
	8		=	0		
17	8		=	0		
	8		=	0		
	8		=	0		
	8		=	0		
18	8		=	0		
	8		=	0		
	8		=	0		
	8		=	0		
	8		=	0		
	8		=	0		
19	8		=	0		
	8		=	0		
	8		=	0		
	8 >2		=	0		
	8		?	0		
	8		=	0		
	8		=	0		
20	8 >2		?	0		
	8		=	0		
	8 >2		?	0		
	8		=	0		
	8		=	0		
21	8 >2		?	0		
	8		=	0		
	8 >2		?	0		



**超高性能轮胎**

g÷, 'J% SJOR\W: p±6•, 3 Û=ÚXâp±\$¥6• Ó\_ÿ` 4i 47•\* G k ñ1, \$ppÀ  
 QgQB)ÀSJOR'ôp±4i 48 R•G ` \$²5f4@0ÀQ-pÀ  
 ? 'É3,GÙ0ÀQ-S \* p±7ø5áfæ ç<Í?>G \$jE, Ú

SG-0	Ó:	J,T 3 6	¿O@"Ä	8"_\$	8"_,T Q M	7™)Äi6,3<-\$\$ Q 6 G
17	8 >2		?	0		
	8 >2		=	0		
18	8 >2		=	0		
	8 >2		=	0		
19	8 >2		=	0		
	8 >2		?	0		
	8 >2		?	0		
	8 >2		=	0		
20	8 >2		?	0		
	8 >2		?	0		
21	8 >2		=	0		



**超高性能轮胎**

6R\$º0ÀSJORpÀ  
 ±/·5f4@0ÀQ-pÀ  
 ç' hCE Ú

SG-0	Ó:	J,T 3 6	¿O@"Ä	8"_\$	8"_,T Q M	7™)Äi6,3<-\$\$ Q 6 G
17	8 >2		=	0		
18	8 >2		=	0		
	8 >2		=	0		
20	8		<	0		
	8 >2		=	0		



**湿滑性能优异、低噪音的超高性能轮胎**

kq5f4@0ÄpÀ  
 ±S G 4+<Í0ÀQ-p±7ø5áfæ ç<Í?>G \$jE,pÀ  
 ±^#G Jì,30ÄpÀ  
 ñ'ér«`pÀ  
 `),5 'kq8ü` \_ÿ%ªj\_ÿ Ú

SG-0	Ó:	J,T 3 6	¿O@"Ä	8"_\$	8"_,T Q M	7™)Äi6,3<-\$\$ Q 6 G
17	8		<	0		
	8 >2		=	0		
	8 >2		=	0		
	8		?	0		
18	8 >2		=	0		
	8 >2		<	0		
	8 >2		=	0		
	8 >2		?	0		
19	8 >2		?	0		
	8 >2		=	0		
	8 >2		=	0		
	8		?	0		
20	8 >2		?	0		
22	8 >2		<	0		
	8 >2		<	0		



低能耗、低噪音的高性能轮胎

Xák 7•R«› Ù,"gòpÀ  
 ç?sfÔp± ç=RP°pÀ  
 ±^#G I•P°0ÄQ– Ú

``\$G•0	,Ó,‘	],T 3 6	`,/?O@*Ä	8 " _`\$	8 "_],T Q M	7™)Äi6,3<-\$\$ Q 6 G
14	8		.	0		

(三条纵沟)

``\$G•0	,Ó,‘	],T 3 6	`,/?O@*Ä	8 " _`\$	8 "_],T Q M	7™)Äi6,3<-\$\$ Q 6 G
14	8		:	0		
	8		.	0		

15	8 >2		.	0		
	8		.	0		
	8		<	0		

15	8		.	0		
	8		.	0		
	8		.	0		

16	8		:	0		
	8		<	0		
	8		.	0		

16	8		.	0		
	8		<	0		
	8		<	0		

16	8		.	0		
	8		<	0		
	8		<	0		

17	8 >2		<	0		
	8		.	0		
	8		<	0		

17	8		<	0		
	8		.	0		
	8		.	0		

(四条纵沟)



操控性优、低噪音的高性能轮胎

G•OXXák Jì,3pÀ  
 Xák 7•R«› Ù,"gòpÀ  
 ç?sfÔp± ç=RP° Ú  
 ? 'É3,GÙ0ÄQ–S \* p±7ç5áfæ ç<Í?G \$jE, Ú

``\$G•0	,Ó,‘	],T 3 6	`,/?O@*Ä	8 " _`\$	8 "_],T Q M	7™)Äi6,3<-\$\$ Q 6 G
14	8		.	0		

(三条纵沟)

``\$G•0	,Ó,‘	],T 3 6	`,/?O@*Ä	8 " _`\$	8 "_],T Q M	7™)Äi6,3<-\$\$ Q 6 G
15	8		.	0		
	8		.	0		

15	8 >2		.	0		
	8		.	0		
	8		<	0		

16	8		.	0		
	8		<	0		
	8		<	0		

16	8		.	0		
	8		<	0		
	8		<	0		

17	8 >2		<	0		
	8		.	0		
	8		.	0		

17	8		<	0		
	8		.	0		
	8		.	0		

(四条纵沟)



**操控性优、高里程、低噪音的高性能轮胎**

G•OXXâk Jì,3pÀ  
 Xâk 7•R«` Û,"gòpÀ  
 5f4@0ÀQ- ±/pÀ  
 ? 'É3,GÙ0ÀQ-S \* p±7ø5áfæ ç<Í?G \$jE, Ú

``\$G•0	,Ó;	,ÚO@	]T 3 6	`/?O@"Ä	8 " _`\$	8 " _]T Q M	7™)Äi6,3<-\$\$ Q 6 G
14	8			.	0		
	8			.	0		
15	8			<	0		
	8			.	0		
	8			.	0		
	8			.	0		
	8			.	0		
	8	2:	68		9	0	* 9
16	8			.	0		
	8			.	0		
	8			.	0		
	8			.	0		
	8			<	0		
	8			.	0		
	8			.	0		
17	8			<	0		
	8			.	0		
	8			.	0		
	8			.	0		
	8			.	0		
	8			.	0		
18	8			.	0		
	8			.	0		



**(新能源汽车专属)**

**操控性优、低滚阻、低噪音的高性能轮胎**

^ ç?sfÔp±)7#9\_ÿ` O†RÄbeJmpÀ  
 Xâk 7•R«` Û,"gòpÀ  
 5f4@0ÀQ- ±/pÀ  
 / 'É"Ö\_ÿ0ÀQ-S \* p±7ø5áfæ ç \$5P G \$jE, Ú

``\$G•0	,Ó;	]T 3 6	`/?O@"Ä	8 " _`\$	8 " _]T Q M	7™)Äi6,3<-\$\$ Q 6 G
17	8	>2	=	0		
	8	>2	<	0		



**高耐磨性能和高操纵性能**

6R\$°0ÄSJORpÀ  
 ±/5f4@0ÀQ-pÀ  
 ç' hœ Ú

``\$G•0	,Ó;	]T 3 6	`/?O@"Ä	8 " _`\$	8 " _]T Q M	7™)Äi6,3<-\$\$ Q 6 G
14	8	>2	.	0		
	8		.	0		
	8		.	0		
15	8		.	0		
	8		.	0		



**操控性优、低滚阻、低噪音的高性能轮胎**

^ ç?sfÔp±)7#9\_ÿ` O†RÄbeJmpÀ  
 Xâk 7•R«` Û,"gòpÀ  
 5f4@0ÀQ- ±/pÀ  
 / 'É"Ö\_ÿ0ÀQ-S \* p±7ø5áfæ ç \$5P G \$jE, Ú

``\$G•0	,Ó;	]T 3 6	`/?O@"Ä	8 " _`\$	8 " _]T Q M	7™)Äi6,3<-\$\$ Q 6 G	IP<-)G•0 SS	IP<-00,V SS	SJOR>S/? SS
14	8	>2	.	0					



# SUV轮胎

□□□ □□□E □E□□□



操控性能优越、舒适性好

7ç#i^#G 3,'É%%5fON0ÀQ-pÀ  
,"gòR«>G k ñ ik%pÀ  
±JYG ? 'É3,GÜ0ÀQ-p±7•,"" Ú

``\$G-0	,Ó,'	],T 36	,/?0@"Ä	8 " _`\$	8 "_],T Q M	7™)Äi6,3<-\$\$ Q 60
17	8 >2		<	0		
	8		.	0		
	8 >2		<	0		
	8 >2		<	0		
	8		<	0		
	8 >2		<	0		
	8 >2		<	0		
	8 >2		<	0		
	8		.	0		
	8		.	0		
18	8		=	0		
	8		<	0		
	8 >2		=	0		
	8		<	0		
	8 >2		<	0		
	8		<	0		
	8 >2		=	0		
	8 >2		=	0		
	8 >2		<	0		
	8 >2		=	0		
19	8		<	0		
	8 >2		<	0		
	8 >2		<	0		
	8 >2		=	0		
	8 >2		<	0		
	8 >2		=	0		
	8 >2		=	0		
	8 >2		=	0		
	8		.	0		
	8 >2		=	0		

``\$G*0	,Ó,'	]T 3 6	`/?O@*Ä	8 " _`\$	8 " _]T Q M	7™)Äi6,3<-\$\$ Q 6 G
20	8 >2		=	0		
	8 >2		=	0		
	8		<	0		
	8 >2		=	0		
	8 >2		?	0		
	8 >2		=	0		
	8 >2		=	0		
	8 >2		?	0		
	8 >2		<	0		
	8 >2		=	0		
21	8		=	0		
	8		=	0		
	8 >2		=	0		
	8 >2		=	0		
	8 >2		<	0		
22	8 >2		<	0		



**低滚阻、低噪音SUV轮胎**

±/G 5f4@0ÄQ-pÄ  
 S \* 4+<í0ÄQ-p±7ç5áfæ ç<í?>G \$jE\_pÄ  
 ±^#G ON\$ªJì,30Ä ñ'é7•#9R«`>pÄ  
 ç' hCEp±k ñ,"gò Ú



**城市道路用高操控、低噪声性能SUV**

±/G 5f4@0ÄQ- Ú  
 S \* 4+<í0ÄQ-p±7ç5áfæ ç<í?>G \$jE\_pÄ  
 ±^#G ON\$ªJì,30Ä ñ'é7•#9R«`>pÄ  
 ç' hCEp±k ñ,"gò Ú

``\$G*0	,Ó,'	]T 3 6	`/?O@*Ä	8 " _`\$	8 " _]T Q M	7™)Äi6,3<-\$\$ Q 6 G
17	8 >2		<	0		
18	8		<	0		
	8		.	0		
19	8		<	0		
20	8 >2		<	0		

``\$G*0	,Ó,'	]T 3 6	`/?O@*Ä	8 " _`\$	8 " _]T Q M	7™)Äi6,3<-\$\$ Q 6 G
15	8		.	0		
	8		.	0		
16	8		.	0		
	8		.	0		
	8 >2		.	0		
17	8		.	0		
	8		.	0		
	8		.	0		
	8 >2		<	0		
	8 >2		<	0		
	8 >2		<	0		
	8 >2		.	0		
	8		.	0		
	8 >2		<	0		
	8		<	0		
18	8 >2		<	0		
	8 >2		<	0		
	8 >2		<	0		
	8		.	0		
19	8 >2		<	0		
	8 >2		<	0		
	8		<	0		
20	8 >2		<	0		
	8 >2		<	0		



城市道路用低噪音SUV轮胎, 干湿地性

4+<í0ÀQ-\* pÀ  
R«`> ç' h0EpÀ  
5f4@0ÀQ-\* pÀ

``\$G*0	,Ó,'	,ÛO@	],T 3 6	\,/?O@"Ä	8 " _`\$	8 " _],T Q M	7™)Äi6,3<-\$\$ Q 6
16	2:	8	68	8	0	* 9	
17		8		:	0		



低噪音全天候轮胎

" )Ä`Xâk Q-#4  
,"gòR«`>G k ñ ik%  
""S G gf'É%? 'É"Ò\_ÿ0ÀQ-  
8 /Ó^#bgC /@#4

``\$G*0	,Ó,'	,ÛO@	],T 3 6	\,/?O@"Ä	8 " _`\$	8 " _],T Q M	7™)Äi6,3<-\$\$ Q 6
15	2:	8	68	9	0	* 9	
	2:	8	68	9	0	* 9	
	2:	8	68	9	0	* 9	
16		8 >2		:	0		
17		8 >2		:	0		
		8		:	0		



全地形轮胎

? ?j0ÀQ- ±/pÀ  
=8)ZZk(?)Äp±Rf=š0ÀQ-\* pÀ  
e"Y^gû \$g÷e"Y^gûG Ov / Xú Ú

``\$G*0	,Ó,'	,ÛO@	],T 3 6	\,/?O@"Ä	8 " _`\$	8 " _],T Q M	7™)Äi6,3<-\$\$ Q 6
15	2:	8	68	9	0	* 9	
	2:	8	68	9	0	* 9	
	2:	8	68	8 9	0	* 9	
16		8		: 7	0		
		8 >2		:	0		
		8		7 :	0		
		8 5=2		: 7	0		
17		8		:	0		
		8		:	0		
		8 >2		:	0		
18		8 =2		:	0		



泥地轮胎

kq`3`0À` QgpÀ  
kq3` Q-#4pÀ  
Rf=š0À/ÓpÀ  
NEp0ÄG SJOR%%#9/ÓQg @\W: Ú

``\$G*0	,Ó,'	,ÛO@	],T 3 6	\,/?O@"Ä	8 " _`\$	8 " _],T Q M	7™)Äi6,3<-\$\$ Q 6
15	2:	8	68	7	0	* 9	
	2:	8	68	7	0	* 9	
	>	8 2:	68	7	0		
16		8 2:	68	7	0	* 9	
	2:	8	68	7	0	* 9	
	2:	8	68	7	0	* 9	
	2:	8	68	7	0	* 9	
	2:	8	68	7	0	* 9	
	2:	8	68	7	0	* 9	
17	2:	8	68	7	0	* 9	
	2:	8	68	7	0	* 9	
18	2:	8	68	7	0	* 9	
	2:	8	68	7	0	* 9	



# 轻卡轮胎

□□G□□ □□□C□ □□□E□



## 高耐载商用轮胎

kq3,É0ÀQ-pÀ  
ç?sfÔ ÛS Q-DH v Ú

`\$G-0	,Ó,'	,ÛO@	],T 3 6	,/?O@"À	8 " _ ` \$	8 " _],T Q M	7™)Ài6,3<-\$\$ Q 6 C
14	8 2:	68		8	0	* 9	
	8 )	68		6	0	* 9	
	8 2:	68		6	0	* 9	
16	8 2:	68		8	0	* 9	



## 经济型拖车胎

=RP° çpÀ  
Oh=ç(\$` Qg Ú

`\$G-0	,Ó,'	,ÛO@	],T 3 6	,/?O@"À	8 " _ ` \$	8 " _],T Q M	7™)Ài6,3<-\$\$ Q 6 C
14	8 2:	68		9	0	* 9	
	8 2:	68		:	0	* 9	






雪地操控性能及冰地刹车加速优

- 1.
2. 3D

14	185/65R14 XL	90	T	51/2J	600	340
	205/55R16 XL	94	T	61/2J	670	340
16	205/60R16 XL	96	T	6J	710	340
	205/65R16	95	S	6J	690	300
	215/65R16 XL	102	T	61/2J	850	340
	255/70R16	111	S	71/2J	1090	300
	265/70R16	112	S	8J	1120	300
17	205/55R17 XL	95	T	61/2J	690	340
	215/45R17 XL	91	S	7J	615	340
	215/55R17 XL	98	T	7J	750	340
	225/50R17 XL	98	T	7J	750	340
	225/55R17 XL	101	T	7J	825	340
18	215/50R18	92	S	7J	630	300
	225/45R18 XL	95	T	71/2J	690	340
	235/45R18 XL	98	T	8J	750	340
20	235/45R20 XL	100	S	8J	800	340
	295/40R20	106	S	101/2J	950	300





优越的操控性能

- 1.
  - 2.
- 3D

					(kg)	(kPa)
15	205/70R15	96	T	6J	710	300
	215/75R15	100	T	6J	800	300
	235/75R15	105	T	6 1/2J	925	300
16	215/65R16	98	T	6 1/2J	750	300
	225/60R16	98	T	6 1/2J	750	300
	235/70R16	106	T	7J	950	300
	245/70R16	107	H	7J	975	300
	245/75R16	111	S	7J	1090	300
275/70R16	114	T	8J	1180	300	
17	205/55R17 XL	95	S	6 1/2J	690	340
	215/60R17	96	T	6 1/2J	710	300
	215/65R17	99	S	6 1/2J	775	300
	225/60R17	99	T	6 1/2J	775	300
	225/65R17 XL	106	T	6 1/2J	950	340
	235/50R17	96	T	7 1/2J	710	300
	235/55R17	99	T	7 1/2J	775	300
	235/65R17 XL	108	T	7J	1000	340
	245/45R17	95	T	8J	690	300
	245/65R17	107	T	7J	975	300
	255/45R17	98	T	8 1/2J	750	300
	255/60R17	106	T	7 1/2J	950	300
	265/65R17	112	T	8J	1120	300
275/65R17	115	T	8J	1215	300	
285/65R17	116	S	8 1/2J	1250	300	
18	215/55R18 XL	99	S	7J	775	340
	225/50R18	95	T	7J	690	300
	225/55R18	98	T	7J	750	300
	225/60R18	100	T	6 1/2J	800	300
	235/50R18	97	T	7 1/2J	730	300
	235/55R18	100	T	7 1/2J	800	300
	235/60R18	103	T	7J	875	300
	235/60R18 XL	107	T	7J	975	340
	235/65R18	106	T	7J	950	300
	245/40R18	93	T	8 1/2J	650	300
	245/45R18	96	T	8J	710	300

					(kg)	(kPa)
18	245/50R18	100	T	7 1/2J	800	300
	245/60R18	105	T	7J	925	300
	255/40R18	95	T	9J	690	300
	255/45R18	99	T	8 1/2J	775	300
	255/55R18	105	T	8J	925	300
	255/60R18 XL	112	H	7 1/2J	1120	340
	265/60R18	110	T	8J	1060	300
	265/70R18	116	S	8J	1250	300
	285/60R18	116	T	8 1/2J	1250	300
	19	225/55R19	99	T	7J	775
235/50R19		99	T	7 1/2J	775	300
235/55R19 XL		105	H	7 1/2J	925	340
245/40R19 XL		98	S	8 1/2J	750	340
245/45R19		98	T	8J	750	300
245/55R19		103	T	7 1/2J	875	300
255/40R19		96	T	9J	710	300
255/45R19		100	T	8 1/2J	800	300
255/50R19		103	T	8J	875	300
255/55R19		107	T	8J	975	300
265/50R19		106	T	8 1/2J	950	300
275/35R19		96	T	9 1/2J	710	300
275/40R19		101	T	9 1/2J	825	300
275/55R19		111	T	8 1/2J	1090	300
20	235/55R20 XL	105	S	7 1/2J	925	340
	245/40R20	95	T	8 1/2J	690	300
	245/45R20	99	T	8J	775	300
	245/50R20	102	T	7 1/2J	850	300
	255/45R20	101	T	8 1/2J	825	300
	255/50R20 XL	109	H	8J	1030	340
	255/55R20 XL	110	T	8J	1060	340
	265/45R20	104	T	9J	900	300
	265/50R20	107	T	8 1/2J	975	300
	275/40R20	102	T	9 1/2J	850	300
275/45R20 XL	110	T	9J	1060	340	
275/50R20 XL	113	S	8 1/2J	1150	340	

					(kg)	(kPa)
20	275/55R20	113	T	81/2J	1150	300
	285/35R20	100	T	10J	800	300
	285/45R20	108	T	91/2J	1000	300
	285/50R20	112	T	9J	1120	300
21	315/35R20	106	T	11J	950	300
	255/45R21	102	S	81/2J	850	300
	285/45R21	109	T	91/2J	1030	300
	265/45R21	104	T	9J	900	300
	275/45R21	107	T	9J	975	300
	275/50R21 XL	113	T	81/2J	1150	340
	285/45R21	109	T	91/2J	1030	300
22	295/40R21	107	T	101/2J	975	300
	265/40R22 XL	106	S	91/2J	950	340



专为豪华品牌量身打造的超高性能补气保用雪地胎

(补气保用)

					(kg)	(kPa)
17	225/45R17	91	S	71/2J	615	300
	225/50R17	94	S	7J	670	300
	225/55R17	97	S	7J	730	300
18	235/55R18	100	S	71/2J	800	300
	245/45R18	96	S	8J	710	300
	245/50R18	100	S	71/2J	800	300
19	245/45R19	98	S	8J	750	300
	275/40R19	101	S	91/2J	825	300
20	245/45R20	99	S	8J	775	300



雪地操控性能及冰地刹车加速优

1.  
2.

					(kg)	(kPa)
12	145/70R12	69	T	4.50B	325	300
13	165/70R13	79	T	5.00B	437	300
	175/70R13	82	T	5.00B	475	300
14	165/60R14	75	T	5J	387	300
	165/70R14	81	T	5J	462	300
	175/70R14	84	T	5J	500	300
	185/60R14	82	T	51/2J	475	300
	185/65R14	86	T	51/2J	530	300
	185/70R14	88	T	51/2J	560	300
	195/60R14	86	T	6J	530	300
15	215/75R14	100	T	6J	800	300
	175/65R15	84	T	5J	500	300
	185/55R15	82	T	6J	475	300
	185/60R15	84	T	51/2J	500	300
	185/65R15	88	T	51/2J	560	300
	195/55R15	85	T	6J	515	300
	195/60R15	88	T	6J	560	300
16	195/65R15	91	T	6J	615	300
	205/65R15	94	T	6J	670	300
	195/60R16	89	S	6J	580	300
17	215/50R17	91	T	7J	615	300
	215/55R17	94	T	7J	670	300
18	225/45R18	91	T	71/2J	615	300
	235/45R18	94	T	8J	670	300
19	225/45R19	92	T	71/2J	630	300



